

List of products affected by regulatory decisions made by the Board to withdrawal/ restrict use of pest control products containing: Pymetrozine, Thiacloprid, Diuron, Chlorothalonil, Propineb, Chlorpyrifos & Chlorpyrifos Methyl 2,4-D

Table of Contents

Table 1: Registered Pest Control Products containing Pymetrozine (2 products)	1
Table 2: Registered Pest Control Products containing Thiacloprid (3 products)	2
Table 3: Registered Pest Control Products containing Diuron (6 products).....	3
Table 4: Registered Pest Control Products containing Chlorothalonil (31 products).....	6
Table 5: Registered Pest Control Products containing propineb (9 products).....	17
Table 6: Registered Pest Control Products containing chlorpyrifos (37 products)	21
Table 7: Registered Pest Control Products containing 2,4-D (36)	31
Table 7: Registered Pest Control Products containing acephate (17 products).....	44

Table 1: Registered Pest Control Products containing Pymetrozine (2 products)

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
1	CHESS 50 WG Water Dispersible Granules	PCPB(CR)0944	Pymetrozine 500g/Kg	Syngenta AG, Basle, Switzerland. Additional Manufacturing Site: Nantong Shizhuang Chemical Co., Ltd, China. Additional Formulator: Syngenta Korea. Ltd, Korea.	Syngenta East Africa Ltd.	Insecticide for the control of aphids and whiteflies on Roses; cabbage aphids on Kales & beans aphids on French beans.

2	FULFIL 25SC	PCPB(CR)1464	Pymetrozine 250g/L	Hailir Pesticides & Chemicals Group Co Ltd, China	East Africa Business Company Ltd	Insecticide for the control Thrips, Aphids and Whitefly on Roses, and thrips on French beans. WHO Class II Moderately hazardous Blue color band RE: 6 hours EU MRL - 2.0mg/kg PHI: 3 days
---	-------------	--------------	-----------------------	--	--	---

Table 2: Registered Pest Control Products containing Thiachloprid (3 products)

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
1	CALYPSO SC 480 Suspension Concentrate	PCPB(CR)0291	Thiachloprid 480g/L	Nihon Nohyako Co. Ltd., Japan/ Bayer AG Germany.	Bayer East Africa Ltd.	Insecticide for the control of Aphids, Whiteflies on Roses; Thrips on Carnations; Aphids, Thrips & Whiteflies on Tomato, Chilies, Eggplant & Karela. REI: 12hours PHI: Tomato, Chillies, Eggplant & Karela.- 3days EU MRL: Tomato & Karela: 0.5mg/kg Chilies: 1mg/kg Eggplant: 0.7mg/kg WHO Class II Moderately hazardous Yellow color band.

2	DOBERMAN 15% OD	PCPB(CR)1528	Thiacloprid 130g/L+ Deltamethrin 20 g/L	Manufacture/ Formulator/ Registrant: Shandong united Pesticide Industry Co Ltd, China Exporter: Shandong Sino- Agri United Biotechnology, China	Greenlife Crop Protection Africa Ltd	Insecticide for control of Mealybugs, Thrips, Caterpillars, Spidermites and whiteflies on Roses, thrips in onions. Onions EU MRLs- Thiacloprid:0.01 mg/kg Deltamethrin:0.06 mg/kg PHI-21days REI-12 hours WHO Class II Moderately hazardous Yellow color band
3	TRUENCER 480 SC	PCPB(CR)1550	Thiacloprid 480g/L	Manufacturer/ Formulator: Shandong United pesticide industries Ltd, China. Registrant/ Exporter: Shandong-Agri-United Biotechnology Co Ltd, China.	Greenlife Crop protection ltd	Insecticide for control of aphids, whiteflies and thrips on Roses. REI: 24 hours WHO Class II, Moderately hazardous, Yellow color band.

Table 3: Registered Pest Control Products containing Diuron (6 products)

No .	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
1	DEACON 600WDG Water dispersible granule	PCPB(CR)134 5	Diuron 468g/kg + Hexazinone 132g/kg	Manufacturer: Diuron: Jiangsu Lanfeng Biochemical Co. Ltd, China Hexazinone: Jiangsu Suzhou Chemical Group Xinyl Agrochemical Co Ltd; China Formulator/Registrant/Exp	Greenlife Crop Protection Africa Ltd	Early post-emergence herbicide for control of Broadleaf weeds, Annual & Perennial grasses in Sugarcane. REI: 12hours Sugarcane: EU MRLs: Diuron- 0.01mg/kg; Hexazinone- 0.01mg/kg; PHI- 150days WHO Class U, Unlikely to present acute

No .	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
				orter: AgroDragon Co Ltd; China		hazard in normal use, Green Color Band
2	DIUREX 80 WP Wettable Powder	PCPB(CR)0116	Diuron 80% w/w	ADAMA Agan. Ltd, Israel	Amiran (K) Ltd.	Pre-emergence herbicide for control of Broadleaf weeds & Grass weeds in Pineapples, Sugarcane, Coffee, Cotton & Citrus. REI: 12hours Citrus, Pineapples: EU MRLs- 0.01mg/kg; PHI- 60days Sugarcanes: EU MRLs- 0.01mg/kg; PHI- 150days Cotton seeds: EU MRLs- 0.02mg/kg; PHI- 60days Coffee beans: EU MRLs: 0.05mg/kg; PHI- 60days WHO Class II, Moderately hazardous, Yellow Color Band
3	KARMEX 80 DF Dry Flowable	PCPB(CR)0751	Diuron 80g/Kg	Agan Chemical Manufacturers Ltd., Israel	Topserve E.A Ltd.	Pre-emergence and Early post-emergence herbicide for the control of Grass & Broadleaf weeds in Sugar cane. REI: 24hours Sugarcanes: EU MRLs- 0.01mg/kg; PHI- 150days WHO Class III, Slightly hazardous, Blue Color Band.

No .	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
4	NISAN 800 WG Wettable Granules	PCPB(CR)1731	Diuron 400 g/kg + Bromacil 400 g/kg	ADAMA Agan Ltd, Israel	ADAMA Agriculture East Africa Ltd	Pre-emergence herbicide for control of Broadleaf weeds and Grass in Pineapples. REI: 12hours Pineapple: EU MRL- Diuron- 0.01mg/kg; Bromacil- 0.01mg/kg; PHI- 150days WHO Class III, Slightly hazardous, Blue color band
5	HEXARON 600 WG Wettable granules	PCPB(CR)1895	Diuron 468g/kg + Hexazinone 132g/kg	Manufacturer: Diuron: ADAMA Agan Ltd, Israel. Hexazinone: Toll Manufacturer Nutrichem Laboratory Co Ltd, China for ADAMA Makhteshim Ltd, Israel; Formulator/Registrant: ADAMA Agan Ltd, Israel	Amiran Kenya Ltd.	Early post-emergence herbicide for control of annual and perennial grasses and broad-leaved weeds in sugarcane. REI: 12hours Sugarcane: EU MRL- Diuron: 0.01mg/kg; Hexazinone:0.01mg/kg; PHI- 150 days WHO Class II, Moderately Hazardous, Yellow Color Band
6	DORIAN 80 SC Suspension Concentrate	PCPB(CR)1917	Diuron 800 g/L	Anhui Guangxin Agrochemical Co Ltd, China	East African Business Company Ltd	Pre-emergence herbicide for control of Broadleaf Weeds and grasses in Pineapples. REI: 12hours EU MRL 0.01mg/kg PHI- 510 days WHO Class II, Moderately hazardous; Yellow color band

Table 4: Registered Pest Control Products containing Chlorothalonil (31 products)

No .	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
1	CHEROKEE 487.5 SE Suspo-Emulsion	PCPB(CR)1355	Propiconazole 62.5g/L + Cyproconazole 50g/L +Chlorothalonil 375g/L	Manufacturer: (i)Propiconazole: Syngenta crop protection Monthey SA, Switzerland; (ii)Cyproconazole: Bayer Schweiz AG, Switzerland; Saltigo GmbH, Germany; GB Biosciences, Green Bayou, USA; Jiangsu Xinhe Agrochemical Co ltd, China; (iii)Chlorothalonil: GB Biosciences, Green Bayou, USA; SDS Biotech, K.K Yokohama Japan; Jiangsu Xinhe Agrochemical Co ltd, China; Suli China; Jiangyin Suli Fine Chem, China; Registrant: Syngenta crop protection AG, Switzerland; Formulator: Syngenta Ground Works, UK; Additional Formulator: Chemark ZRT, Hungary.; Additional Manufacturing Site for Propiconazole: 1. Youjia Crop Protection	Local Agent: Syngenta East Africa ltd	Fungicide for the control of Stem rust and Yellow rust in Wheat. REI: 12 hours Wheat: Codex MRL: Cyproconazole- 0.08mg/kg; Propiconazole- 0.09mg/kg; EU MRL-Chlorothalonil- 0.1mg/kg; PHI- 54days WHO Class II, Moderately hazardous, Yellow Color Band

No .	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
				Company Ltd, China.; 2. NACL Industries, Ltd, India		
2	CLORTOCA FFARO (ROVA) 500 Flow	PCPB(CR)0559	Chlorothalonil 500g/L	Sipcam UK, Ltd/ Sipcam Oxon SpA, Italy	Sipcam E.A. Ltd.c/o Rockem Limited.	Fungicide for control of coffee berry disease (CBD) in Coffee. REI: 24hours Coffee beans- EU MRL- 0.05mg/kg; PHI- 35days WHO Class II, Moderately hazardous, Yellow Color Band
3	CLORTOSIP 75 WP Wettable Powder	PCPB(CR)0318	Chlorothalonil 75%	Sipcam Oxon SpA, Italy	Sipcam E.A. Ltd. c/o Rockem Ltd.	Fungicide for control of coffee berry disease (CBD) in Coffee. REI: 24hours Coffee beans- EU MRL- 0.05mg/kg; PHI- 35days WHO Class II, Moderately hazardous, Yellow Color Band
4	COMPLIANT 560 SC Suspension Concentrate	PCPB(CR)1385	Chlorothalonil 500 g/L + Azoxystrobin 60 g/L	Azoxystrobin Manufacturer Taizhou Bailly Chemical Co Ltd; China. Chlorothalonil Manufacturer: Jiangyin Ligang Fine Chemical Ltd; China; Registrant: Jiangyin Suli Fine Chemical Ltd; China Formulator: Jiangyin Suli Chemical Co., Limited Exporter: Agrodragon Co., Limited, China	GreenLife Crop Protection Africa Limited	Fungicide for control of powdery mildew and downy mildew in Roses; Angular leaf spot, anthracnose and rust on French beans; leaf spot, black leg and club root in cabbages and coffee berry disease in coffee, downy mildew and rust in broccoli REI: 12 hours. French beans EU MRL: Chlorothalonil-5.0 mg/kg Azoxystrobin- 3.0 mg/kg PHI- 7 days Cabbages: Chlorothalonil-0.6 mg/kg Azoxystrobin- 5.0 mg/kg

No .	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
						PHI-7 days. Coffee EU MRL: Chlorothalonil 0.05 mg/kg Azoxystrobin-0.03 mg/kg PHI-7 days Broccoli EU MRLs- Chlorothalonil:0.01mg/kg Azoxystrobin:5.0mg/kg PHI- days WHO Class II, Moderately hazardous, Yellow color band
5	DACONIL 720SC (BRAVO 720 SC) Suspension Concentrate	PCPB(CR)0288	Chlorothalonil 720g/L	Syngenta Crop Protection AG, Basle, Switzerland. Additional Manufacturing Sites:GB Biosciences, Green Bayou, USA; SDS Biotech, K.K Yokohama Japan; Jiangsu Xinhe Agrochemical Co ltd, China; Suli China Jiangyin Suli Fine Chem, China.	Syngenta East Africa Ltd., P.O. Box 30393, Nairobi.	Fungicide for control of Coffee berry disease (CBD) in Coffee; Bean rust, Angular leaf spot, Anthracnose & Botrytis on French beans; Aschochytes & Botrytis on Snow peas; Botrytis on Roses; Early & Late blight in Potatoes. REI: 12hours French beans & Snow peas: EU MRLs- Chlorothalonil- 5mg/kg; PHI- 14days Potatoes: EU MRL- 0.01 mg/kg; PHI- 7days Coffee beans: EU MRLs- Chlorothalonil- 0.05mg/kg PHI- 35days WHO Class II, Moderately hazardous, Yellow Color Band
6	DAKOTA 50 FW	PCPB(CR)0680	Chlorothalonil 50% w/v	Manufacturer/Registrant/Formulator: Jiangyin Sulifine Chemicals, China; Exporter:	Local Agent: Bio-Medica	Fungicide for the control of Early & Late blight on Tomatoes; Downy Mildew & Leaf spot on

No .	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
	Suspension Concentrate			Zhejiang Chemicals Import and Export Corporation, China.	Laboratories Ltd.	Cucumbers; Coffee Berry Disease (CBD) on Coffee; Botrytis in Roses. REI: 12hours Tomatoes: EU MRLs- Chlorothalonil- 6mg/kg PHI- 7days Cucumber: EU MRLs- Chlorothalonil- 5mg/kg PHI- 7days Coffee beans: EU MRLs- Chlorothalonil- 0.05mg/kg PHI- 35days WHO Class II, Moderately hazardous, Yellow Color Band
7	FOLIO GOLD 537.5 SC Suspension Concentrate	PCPB(CR)0903	Metalaxyl-M 37.5g/L + Chlorothalonil 500g/L	Syngenta Crop Protection Ag, Basle Switzerland Additional Manufacturing Sites:GB Biosciences, Green Bayou, USA; SDS Biotech, K.K Yokohama Japan; Jiangsu Xinhe Agrochemical Co Ltd, China; Suli China Jiangyin Suli Fine Chem, China; Additional Formulator: (i) Syngenta South Africa (Pty) Ltd South Africa, (ii) Chemark ZRT Hungary	Syngenta E.A. Ltd.	Fungicide for control of Downy mildew on Roses; Early & Late blight in Tomatoes. REI: 6hours Tomatoes: EU MRLs- Chlorothalonil- 6mg/kg; Metalaxyl-M- 0.3mg/kg PHI- 7days WHO Class II, Moderately hazardous, Yellow Color Band

No .	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
8	GLIDER 720 SC Suspension Concentrate	PCPB(CR)1371	Chlorothalonil 720g/L	Manufacturer/ Formulator: Jiangsu Rotam Chemistry Co. Ltd, China; Registrant: Rotam Agrochemical Co. Ltd, Hong Kong	Rotam Sub-Saharan Africa.Ltd	Fungicide for the control of Coffee Berry Disease (CBD) in Coffee. REI: 12hours Coffee beans: EU MRL- Chlorothalonil- 0.05mg/kg; PHI- 35days WHO Class III, Slightly hazardous, Blue Color Band
9	KATERINA 720 SC Suspension Concentrate	PCPB(CR)1110	Chlorothalonil 720g/L	Ningbo Yihwei Chemicals Co. Ltd.	Greenlife Crop Protection Africa Ltd.	Fungicide for control Downy mildew & Botrytis on Roses & Squash; Early & Late blight in Tomatoes; Coffee berry disease (CBD) in Coffee; Rust on French beans. REI: 12 hours Tomatoes: EU MRLs- 6mg/kg; PHI- 7days Squash & French beans: EU MRLs- 5mg/kg; PHI- 7days Coffee beans: EU MRL- 0.05mg/kg; PHI- 35days WHO Class II, Moderately hazardous, Yellow Color Band
10	ODEON 82.5 WDG Water Dispersible Granules	PCPB(CR)0744	Chlorothalonil 825g/Kg	Adama Makhteshim Ltd, Israel.	Amiran (K) Ltd.	Fungicide for the control of Early blight on Tomatoes; Downy mildew and Botrytis in Roses; Coffee Berry Disease (CBD) in Coffee; as Tank Mix with FUNGURAN OH 50 WP for control of Coffee berry disease

No .	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
						(CBD) in Coffee. REI: 6hours Tomatoes: EU MRLs Chlorothalonil- 6mg/kg; PHI- 7days Coffee beans: EU MRL- Chlorothalonil- 0.05mg/kg; Copper:50mg/kg; PHI- 35days WHO Class III, Slightly hazardous, Blue Color Band .
11	PROVIDEN CE 400 WP	PCPB(CR)140 8	Pyrimethanil 130 g/kg + Chlorothalonil 270 g/kg	Manu/Form/Registrant: Yifan Biotechnology Group Company Limited	Greenlife Crop Protection Africa Ltd	Fungicide for the control of Powdery mildew & Botrytis on Roses & Carnations; Early blight in Tomatoes; Angular leafspot, Anthracnose & Rust in French beans. REI: 12hours French beans: EU MRLs- Chlorothalonil- 5mg/kg; Pyrimethanil- 3mg/kg; PHI- 7days Tomatoes: EU MRLs- Chlorothalonil- 6mg/kg; Pyrimethanil- 1mg/kg; PHI- 7days WHO Class III, Slightly hazardous, Blue Color Band
12	RANKONIL 500 SC Suspension Concentrate	PCPB(CR)036 1	Chlorothalonil 500g/L	Calliope S.A.S, France. Additional Formulator: Jiangyn Suli Chemical Co. Ltd, China	Arysta Lifescience Corporation.	Fungicide for the control of Downy mildew on Snow peas & Roses. REI: 12hours Snow peas: EU MRL- 5mg/kg; PHI- 7days WHO Class II, Moderately hazardous, Yellow Color Band

No .	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
13	ROVA 500SC	PCPB(CR)055 9-p(i)	Chlorothalonil 500g/L	Sipcam UK, Ltd/ Oxon Italia SpA, Pero Italy	Rockem Ltd.	Fungicide for control of coffee berry disease (CBD) in Coffee. REI: 24hours Coffee beans- EU MRL- 0.05mg/kg; PHI- 35days WHO Class II, Moderately hazardous, Yellow Color Band
14	ROVA 75 WP	PCPB(CR)031 9	Chlorothalonil 750%	Sipcam UK, Ltd/ Sipcam Oxon SpA, Italy/ Benard Rothfos Intercafe Ag. Zurich, Switzerland	Sipcam E.A. Ltd. c/o Rockem Ltd.	Fungicide for control of coffee berry disease (CBD) in Coffee; Botrytis & Black spot on Roses. REI: 24hours Coffee beans- EU MRL- 0.05mg/kg; PHI- 35days WHO Class II, Moderately hazardous, Yellow Color Band
15	TWIGATHA LONIL 720SC Suspension Concentrate	PCPB(CR)071 9	Chlorothalonil 720g/L	Ningbo Sunjoy Agrosience Co, China	Twiga Chemical Industries Ltd.	Fungicide for control of Botrytis & Black spots in Roses; Anthracnose, Angular leaf spot & Botrytis in French beans; Coffee Berry Disease (CBD) of Coffee; as Tank mix with AG COPP 75WP & ISACOP for control of Coffee Berry Disease (CBD) on Coffee. REI: 12hours French beans: EU MRL- 5mg/kg; PHI- 7days Coffee beans: EU MRLs: Chlorothalonil- 0.05mg/kg; Copper:50mg/kg; PHI- 35days WHO Class III,

No .	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
						Slightly hazardous, Blue Color Band
16	TWIGA EPONIL 600 SC Suspension Concentrate	PCPB(CR)0878	Epoxiconazole 100g/L + Chlorothalonil 500g/L	Ningbo Sunjoy Agrosience Co, China	Twiga Chemical Industries Ltd.	Fungicide for the control of Rust, Anthracnose & Angular leaf spot on French beans. REI: 12hours French beans: EU MRLs- Epoxiconazole- 0.05mg/kg; Chlorothalonil- 5mg/kg; PHI- 7days WHO Class II, Moderately hazardous, Yellow Colour Band
17	LINKONIL 500 SC	PCPB(CR)1440	Chlorothalonil 500g/L	Manufacture/Formulator/ Registrant: Limin Chemicals. Ltd Company, China.	Link Forward Limited	Fungicide for the control of Botrytis and Downy mildew in roses. REI-12hours WHO Class II Moderately hazardous, Yellow color band
18	AMIZOC 480 SC Suspension Concentrate	PCPB(CR)1645	Azoxystrobin 80g/L + Chlorothalonil 400g/L	Manufacturer/Formulator: Jiangyin Suli Chemicals Co Ltd, China. Registrant: Jiangyin Milagro Chemicals co Ltd, China	Amiran Kenya Ltd	Fungicide for control Downy mildew on Roses; Yellow rust, Leaf rust & Stem rust in Wheat. REI:6 hours Wheat: EU MRL Chlorothalonil- 0.1mg/kg; Azoxystrobin- 0.5mg/kg; PHI- 54days WHO Class III, Slightly hazardous, Blue Color Band

No .	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
19	FUNGINIL 720 SC Suspension Concentrate	PCPB(CR)1664	Chlorothalonil 720g/L	Manufacturer/Formulator: Jiangsu Xinhe Agrochemical Co Ltd, China Exporter/Registrant: Ningbo Huili Import & Export Co Ltd, China	Osho Chemical Industries Ltd	Fungicide for control of Botrytis & Downy mildew in Roses REI: 12hours WHO Class II, Moderately hazardous, Yellow Color Band
20	METACHLORO 720 WP Wettable Powder	PCPB(CR)1723	Metalaxyl 80g/kg + Chlorothalonil 640g/kg	Zhejiang Heben pesticides and chemicals co., ltd, China.	Farmcare Solutions limited	Fungicide for control of Downy mildew & Botrytis on Roses. REI: 12hours WHO Class III, Slightly hazardous, Blue Color Band
21	NOXNIL 72 SC Suspension Concentrate	PCPB(CR)1736	Chlorothalonil 720g/L	Manufacturer/Formulator: Jiangsu Xinhe Agrochemical Co., Ltd, China Registrant/Exporter: Shanghai E-Tong Chemical Co. Ltd, China	Highchem Marketing Ltd	Fungicide for control of Early & Late blight in Tomatoes; Downy mildew & Leaf spot in Cucumber. REI: 12hours Tomatoes: EU MRL- 6mg/kg; PHI- 7days Cucumber: EU MRL- 5mg/kg; PHI- 7days WHO Class III, Slightly hazardous, Blue Color Band
22	BRAVO TOP 550SC Suspension Concentrate	PCPB(CR)1559	Chlorothalonil 500g/L + Difenoconazole 50g/L	Manufacturer of a.i: Difenoconazole: Syngenta Crop Protection Monthey SA; Switzerland. Chlorothalonil: i) GB Biosciences, USA ii) Jiangsu Xinhe Agrochemical Co Ltd, China Formulator:	Syngenta E.A ltd	Fungicide for control of Early blight & Late blight in Potatoes & Tomatoes. REI: 12hours Potatoes: EU MRL Chlorothalonil- 0.01 mg/kg; Difenoconazole- 0.1mg/kg; PHI- 7days Tomatoes: EU MRLs Chlorothalonil- 6mg/kg; Difenoconazole- 2mg/kg;

No .	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
				Syngenta Crop Protection USA Registrant: Syngenta Crop Protection; Switzerland		PHI- 7days WHO Class II, Moderately hazardous, Yellow Color Band
23	BEAVER 200 SC Suspension Concentrate	PCPB(CR)1855	Chlorothalonil 150 g/L + Iprodione 50 g/L	Manufacturer/ Formulator/ Registrant: Shandong Heyi Biological Technology Co Ltd, China Exporter: Weifang Heyi Agrochemical Co Ltd, China	United Agrochemicals Ltd	Fungicide for control of Botrytis in Roses. REI: 12hours WHO Class II, Moderately hazardous, Yellow Color Band NOT FOR USE ON EDIBLE CROPS
24	ARROW 400SC Suspension Concentrate	PCPB(CR)1492	Chlorothalonil 400 g/l	Jiangsu Flag Chemical Co., Ltd, China	Local Agent/Distributor: Agrichem Africa Ltd	Fungicide for control of Early blight & Late blight Tomatoes. REI: 12hours Tomatoes: EU MRLs - 6mg/kg; PHI- 14days WHO Class II, Moderately hazardous, Yellow Color Band
25	TOMGOLD 440 SC Suspension Concentrate	PCPB(CR)1931	Chlorothalonil 400 g/L + Metalaxyl-M 40 g/L	Manufacture/Formulator: Jiangyin Suli Chemical Co Ltd, China Registrant/Exporter: Nanjing Agrochemical Co Ltd, China	Kenagro Suppliers Ltd.	Fungicide for control of downy mildew in roses. REI: 12hours WHO Class III, Slightly hazardous, Blue color band
26	MIXANIL 425 SC	PCPB(CR)1948	Cymoxanil 50 g/L +	Manufacturer: Cymoxanil: 1) Sipcam Oxon SpA, Italy 2) Taizhou Bailly Chemical Co Ltd, China	Rockem Ltd	Fungicide for control of early and late blight in potatoes and tomatoes; anthracnose and downy mildew in courgettes; angular leaf

No .	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
	Suspension Concentrate		Chlorothalonil 375 g/L	Chlorothalonil: Jiangyin Suli Chemical Co Ltd, China Formulator/Registrant: Sipcam Oxon SpA, Italy		spots and anthracnose in French beans. Tomatoes EU MRLs: Cymoxanil –0.4mg/kg Chlorothalonil – 6mg/kg PHI-3 days Potatoes EU MRLs: Cymoxanil –0.01mg/kg Chlorothalonil – 0.01mg/kg PHI-28 days French beans EU MRLs: Cymoxanil –0.05mg/kg Chlorothalonil – 5mg/kg PHI-10 days Courgettes EU MRLs: Cymoxanil –0.08mg/kg Chlorothalonil – 5mg/kg PHI-7days WHO Class II Moderately hazardous Yellow color band
27	CLEANER 720 SC Suspension Concentrate	PCPB(CR)195 1	Chlorothalonil 720 g/L	Shandong Weifang Rainbow Chemical Co Ltd, China	Rainbow AgroSciences Ltd.	Fungicide for control of downy mildew & botrytis in roses. REI: 12 hours WHO Class II, Moderately hazardous, Yellow color band
28	KENTHALO NIL 720 SC	PCPB(CR)195 1-P(i)	Chlorothalonil 720 g/L	Shandong Weifang Rainbow Chemical Co Ltd, China	Local Agent Rainbow AgroSciences Ltd. Distributor Kenagro Suppliers Ltd	Fungicide for control of downy mildew & botrytis in roses. REI: 12 hours WHO Class II, Moderately hazardous, Yellow color band

No	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
29	UPSTANDING 720 WP Wettable Powder	PCPB(CR)1723- P(i)	Metalaxyl 80g/kg + Chlorothalonil 640g/kg	Zhejiang Heben pesticides and chemicals co., ltd, China.	Local Agent/ Distributor: Farmcare Solutions limited	Fungicide for control of Downy mildew & Botrytis on Roses. REI: 12hours WHO Class III, Slightly hazardous, Blue Color Band
30	ABIR 720 WP Wettable Powder	PCPB(CR)1723-P(ii)	Metalaxyl 80g/kg + Chlorothalonil 640g/kg	Zhejiang Heben pesticides and chemicals co., Ltd, China.	Agent/Distributor Farmcare Solutions limited	Fungicide for control of Downy mildew & Botrytis on Roses. REI: 12hours WHO Class III, Slightly hazardous, Blue Color Band
31	STOPPER 75 WP Wettable Powder	PCPB(CR)2200	Chlorothalonil 750 g/Kg	Manufacturer: Jiangsu Xinhe Agrochemical Co. Ltd. China Formulator: Shandong Dacheng Biochemical Co. Ltd, China Registrant: Shanghai E-Tong Chemical Co. Ltd, China	East African Business Company Limited	Fungicide for the control of downy mildew and botrytis on roses REI: 6Hrs WHO Class III Slightly hazardous Blue Color Band

Table 5: Registered Pest Control Products containing propineb (9 products)

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
1	ANTRACOL 70 WP	PCPB(CR)0147	Propineb 70% m/m	Bayer CropScience AG, Leverkusen, Germany;	Bayer East Africa Ltd.	Fungicide for the Control of Early & Late blight on Potatoes REI: 12hours Potatoes: EU MRLs:-

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
	Wettable Powder			Bayer CropScience, Turkey		0.2mg/Kg; PHI- 14days WHO Class III Slightly hazardous Blue Color Band.
2	COVVER 76 WP Wettable powder	PCPB(CR)1370	Cymoxanil 700g/Kg + propineb 60g/Kg	Wemax Agro Limited, China	Cropanet Plaass Ltd	Fungicide for the control of Early & late blight in Tomatoes. WHO Class II, Moderately hazardous, Yellow color band Tomatoes EU MRL: Cymoxanil: 0.2 mg/kg Propineb: 2.0 mg/kg PHI: 7 days
3	MELODY DUO WG 69 Water Dispersible Granules	PCPB(CR)0349	Propineb 600g/Kg + Iprovalicarb 90g/Kg	Bayer AG, Germany.	Bayer East Africa Ltd.	Fungicide for the control of early & late blight on potatoes; and downy mildew on Roses.
4	MILRAZ 76WP Wettable Powder	PCPB(CR)0148	Propineb 70% (Bayer AG) + Cymoxanil 6% (Du Pont, USA)	Manufacturer: Propineb - Bayer Crop Science AG, Germany; Cymoxanil - Du Pont, USA; Formulator: Bayer Crop Science AG, Germany. Additional Formulator: Bayer CropScience, Turkey; Bayer CropScience, Spain.	Bayer East Africa Ltd.	Fungicide for the control of Early & Late blight in Potatoes; REI: 6hours PHI: Potatoes; 14days; EU MRL: Propineb: Potatoes: 0.2mg/kg; Potatoes: 0.4mg/kg WHO Class III Slightly hazardous Blue color band.

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
5	PARADE TOP 750 WDG	PCPB(CR)1476	Propineb 600g/Kg + Cymoxanil 150g/kg	Hainan Bosswell Agrochemical Co ltd, China.	Greenlife crop protection. ltd.	Fungicide for control of downy mildew on roses, downy mildew, powdery mildew and anthracnose in Cucumber, downy mildew, purple blotch, rust in onions, early blight and late blight in tomatoes and potatoes. REI: 6 hrs Cucumber EU MRLs Propineb: 2.0mg/kg Cymoxanil: 0.08mg/kg PHI- 3 days Onions EU MRLs Propineb: 0.05mg/kg Cymoxanil: 0.01mg/kg PHI-7 days Tomatoes EU MRLs Propineb: 2mg/kg Cymoxanil: 0.4mg/kg PHI-7 days Potatoes EU MRLs Propineb: 0.2mg/kg Cymoxanil: 0.01mg/kg PHI-7 days WHO Class II Moderately Hazardous Yellow color Band
6	PROTACOL 80 WP Wettable Powder	PCPB(CR)1665	Propineb 800 g/kg	Manufacturer of A.I/ Formulator: Hunan Farmland Crop Science, China Registrant/ Exporter: Wemax Agro Limited, China	Cropanet Plaas Ltd	Fungicide for control of late blight and early blight in tomatoes. WHO Class III Slightly hazardous Blue color band EU MRLs: 3mg/kg PHI: 7 days

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
7	DYNASTY 70% WDG Water dispersible granules	PCPB(CR)1681	Propineb 700g/kg	Manufacturer/Formulator: Nantong Baoye Chemical Co Ltd., China Exporter/Registrant: Hangzhou Topagro Bioscience Co Ltd., China	East African Business Company Ltd	Fungicide for control of downy mildew in roses. REI: 6hours WHO Class III, Slightly hazardous, Blue color band
8	MOXNEB 76 WP Wettable Powder	PCPB(CR)1451 -P(i)	Propineb 700g/kg + Cymoxanil 60g/kg	Formulator Fujian Sino-Dashing Bio-Tech Co., Ltd., China Manufacturer: Cymoxanil: Shanghai Shenglian Chemical Co., Ltd., China Propineb: Limin Chemical Co., Ltd., China Registrant: Shanghai Hui Song (H & S) Agro-Solution Co., Ltd., China	Bestfield East Africa Ltd Distributor: HighChem Marketing Ltd	Fungicide for control of early & late blight on tomatoes WHO Class II Moderately Hazardous Yellow Color Band EU MRL: Propineb 2 mg/kg Cymoxanil 0.2 mg/kg PHI: 7 days REI: 12 hours WHO Class III Slightly hazardous, Blue color band
9	KOMESHA 76 WP Wettable Powder	PCPB(CR)1451	Propineb 700 g/kg + Cymoxanil 60 g/kg	Formulator Fujian Sino-Dashing Bio-Tech Co., Ltd., China Manufacturer Cymoxanil: Shanghai Shenglian Chemical Co., Ltd., China Propineb: Limin Chemical Co., Ltd., China Registrant: Shanghai Hui Song (H &	Bestfield East Africa Ltd	Fungicide for control of early and late blight on potatoes. EU MRLs: Propineb-0.01mg/kg Cymoxanil-0.01mg/kg PHI: 14days

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
				S) Agro-Solution Co., Ltd., China		

Table 6: Registered Pest Control Products containing chlorpyrifos (37 products)

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
1	AGROPYRIF OS 48 EC Emulsifiable Concentrate	PCPB(CR)0645	Chlorpyrifos 480 g/L	Asiatic Agricultural Industries, Singapore.	Asiatic Agricultural Industries Kenya Ltd	Insecticide for the control of Caterpillars on Roses (NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES). REI: 12hours WHO Class II, Moderately hazardous, Yellow Color Band
2	BETAFOS 263 EC, Emulsifiable Concentrate	PCPB(CR)0861	Beta cyfluthrin 12.5g/L +	Ningbo Sunjoy Agrosience Co. Ltd., China.	Osho Chemical Industries Ltd.	An agricultural insecticide for the control of thrips, aphids, whitefly nymph and caterpillars on Roses; and aphids in cotton. NOT FOR FOLIAR USE ON FRUITS AND

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
			Chlorpyrifos 250g/L			VEGETABLES Application rate: 450-500ml/, repeated after every 7 days. Chlorpyrifos: MRL = 1.0 mg/Kg, PHI = 14 days Beta cyfluthrin: : MRL = 0.5 mg/Kg, PHI = 14 days WHO Class II Moderately hazardous Yellow Colour Band
3	BULLDOCK STAR EC 262.5 Emulsifiable Concentrate	PCPB(CR)0315	Beta- Cyfluthrin 12.5g/L + Chlorpyrifos 250g/L	Bayer Crop Science Germany / Dow Agrosciences, UK. Formulator: Bayer Turk Kimya San Ltd., Turkey	Bayer East Africa Ltd.	Broad spectrum insecticide for control of aphids in barley; bollworms, aphids & cotton stainers on cotton. NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES
4	COLT 480 EC Emulsifiable Concentrate	PCPB(CR)0645 -p(i)	Chlorpyrifos 480 g/L	Asiatic Agricultural Industries, Singapore.	Magnetic (K) Ltd.	Insecticide for the control of caterpillars and sucking insects on ornamentals. NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES
5	CYCLONE 505 EC Emulsifiable Concentrate	PCPB(CR)0553	Cypermethrin 10% w/v + Chlorpyrifos 35%w/v	Rallis Ltd., India.	Osho Chemical Industries Ltd.	Insecticide for control of aphids on cereal aphids and Russian wheat aphids on barley; African bollworm and aphids on cotton; Coffee Berry Borer (CBB) and armyworms. NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
6	CYREN 480 EC Emulsifiable Concentrate	PCPB(CR)0450	Chlorpyrifos 480 g/L	Manufacturer: Dow Agrosciences, France; Formulator/Registrant: Cheminova Agro AS, Denmark; Additional Manufacture of Chlorpyrifos: Gharda Chemicals Ltd., Mumbai, India.	FMC Kenya Branch	Insecticide for the control of antestia bugs in coffee, hids & whiteflies on roses; aphids, scaly insects & termites on tea, NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES
7	EPYRIFOS Emulsifiable Concentrate	PCPB(CR) 0450 - p(iii)	Chlorpyrifos 480g/L	Manufacturer: Dow Agrosciences, France; Formulator & Registrant: Cheminova Agro AS, Denmark	Elgon Kenya.Ltd	Insecticide for the control of antestia bugs in coffee, thrips, aphids & whiteflies on roses; aphids, scaly insects & termites on tea; NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES.
8	JAWABU 48 EC Emulsifiable Concentrate	PCPB(CR)0450 p(ii)	Chlorpyrifos 480g/L	Manufacturer: Dow Agrosciences, France Formulator & Registrant: Cheminova Agro AS, Denmark.	Farmchem (K) Limited.	Insecticide for the control of antestia bugs in coffee, thrips, aphids & whiteflies on roses; aphids, scaly insects & termites on tea NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES
9	MURSBAN 480 EC Emulsifiable Concentrate	PCPB(CR)0450 -p(iv)	Chlorpyrifos 480 g/L	Manufacturer: Dow Agrosciences, France Formulator & Registrant: Cheminova Agro AS, Denmark; Additional	Agent: Ansett International Ltd; Distributor: Murphy Chemicals E.A. Ltd	Insecticide for the control of antestia bugs in coffee, hids & whiteflies on roses; aphids, scaly insects & termites on tea, NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
				Manufacture of Chlorpyrifos: Gharda Chemicals Ltd., Mumbai, India.		
10	PYRINEX 48 EC Emulsifiable concentrate	PCPB(CR)0042	Chlorpyrifos 480g/L	Adama Makhteshim Ltd, Israel.	Amiran (K) Ltd.	Insecticide for use on cotton & armyworm control. NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES
11	PYRINEX QUICK 256 ZC Capsule suspension & Suspension concentrate	PCPB(CR)1297	Chlorpyrifos 250g/L + Deltamethrin 6 g/L	ADAMA Makhteshim, Ltd, Israel	Amiran (K) Ltd	Insecticide for the control of Russian wheat aphid and other cereal aphids on Wheat. WHO Class II Moderately hazardous, Yellow color band; for control of aphids and boll worm in cotton EU MRL: Chlorpyrifos - 0.05mg/kg Deltamethrin -0.05 mg/kg PHI: 21 days
12	RANGER 48% EC Emulsifiable Concentrate	PCPB(CR)1072	Chlorpyrifos 480g/L	Zhejiang Xinnong Chemicals Co. Ltd, China.	Greenlife Crop Protection Africa Ltd.	Insecticide for the control of thrips, aphids and whiteflies on Roses; Antestia bugs in Coffee, and for control of Fall Armyworm in maize. NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES REI- when spray dries Sweet corn: EU MRL- 0.05mg/kg PHI- 35days WHO

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
						Class II Moderately Hazardous Yellow Colour Band
13	ROBUST 48 EC	PCPB(CR)0689	Chlorpyrifos 48%	Coromandel International Ltd., India	Orbit Agro Chemical Industries Ltd.	Insecticide for the control of Antestia bugs in Coffee.
14	ROYALNEX CS 25	PCPB(CR)0522	Chlorpyrifos 250g/Litre	Makhteshim Chemical Works / Crompton Ltd.	Arysta Lifescience (Kenya).Ltd	Seed treatment insecticide for the control of Soil borne and early season insect pests (Aphids, Wireworms, Cutworms, Chaffer grub, Leather jackets, Termites & Leaf hopper) in Maize (NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES) WHO Class II Moderately hazardous, Yellow color band.
15	SULBAN 48 EC	PCPB(CR)0758	Chlorpyrifos 480g/L	Sulphur Mills, India.	Osho Chemical Industries Ltd.	Insecticide to be used as drench for the control of mealy bugs in pineapples. NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES
16	TRICEL 48EC Emulsifiable Concentrate	PCPB(CR)0821	Chlorpyrifos 48% w/v	Manufacturer/Formulator/Registrant: Sumitomo Chemical India Ltd, India	Elgon Kenya Ltd	Insecticide for the control of aphids, thrips and whiteflies on Roses; mealy bugs in pinneaples and for the Control of antestia bugs in coffee. NOT FOR

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
						FOLIAR USE ON FRUITS AND VEGETABLES
17	TWIGAPYRIFOS 480EC Emulsifiable Concentrate	PCPB(CR)0450 -p(v)	Chlorpyrifos 480 g/L	Manufacturer: Dow Agrosciences, France Formulator & Registrant: Cheminova Agro AS, Denmark.	Twiga Chemical Industries Ltd	Insecticide for the control of antestia bugs in coffee, hids & whiteflies on roses; aphids, scaly insects & termites on tea; NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES.
18	ANACONDA 55 EC	PCPB(CR)1467	Chlorpyrifos 50g/L + Cypermethrin 5g/L	AIMCO pesticides Ltd, India	Highchem Marketing Ltd	Insecticide for control of aphids and African Bollworm on Cotton. WHO Class II Moderately hazardous, Yellow band. NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES.
19	EPYRIFOS 48EC	PCPB(CR)0450 -p(iii)	Chlorpyrifos 480g/L	Manufacturer: Dow Agrosciences, France; Formulator & Registrant: Cheminova Agro A/S, Denmark.	Elgon(K) Ltd.	Insecticide for the control of antestia bugs in coffee, thrips, aphids & whiteflies on roses; aphids, scaly insects & termites on tea NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES.
20	PYRIBAN 480 EC Emulsifiable Concentrate	PCPB(CR)1694	Chlorpyrifos 480 g/L	Gharda Chemicals Ltd, India	Agrichem & Tools Ltd	Insecticide for control of coffee green scales in Coffee by banding. NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES REI: 12hours PHI: 14days EU MRLs: Coffee beans-0.05 mg/kg

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
						WHO Class II, Moderately hazardous, Yellow Color Band
21	JUBAILI ACTFORCE GOLD 480 EC	PCPB(CR)0645 -P (ii)	Chlorpyrifos 480 g/L	Asiatic Agricultural Industries, Singapore	Local Agent: Bell Industries Ltd Distributor: Jubaili Agrotec Ltd	Insecticide for the control of Caterpillars on Roses (NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES). REI: 12hours WHO Class II, Moderately hazardous, Yellow Color Band
22	GRADOMET ER 480 EC Emulsiable Concentrate	PCPB(CR)1824	Chlorpyrifos 480g/L	Manufacturer/ Formulator/ Registrant: M/S Agrow Allied Ventures Pvt. Ltd, India	Kenagro Suppliers Ltd.	Wood preservative for control of termites in building and construction, insecticide for control of thrips on roses and Russian wheat aphids in barley (NOT FOR FOLIAR APPLICATION ON FRUITS & VEGETABLES). Barley EU MRL-0.6mg/kg PHI-28 days WHO Class II Moderately hazardous Yellow color band
23	CHLOBAN 480 EC Emulsifiable Concentrate	PCPB(CR)1072 -p(iii)	Chlorpyrifos 480g/L	Zhejiang Xinnong Chemicals Co. Ltd, China.	Local Agent: Greenlife Crop Protection Africa Ltd Distributor: Jojemi Agriventures Ltd	Insecticide for the control of aphids, thrips and whiteflies in roses, thrips and antesia bugs in coffee, fall armyworm on maize. NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES REI- when spray dries Sweet corn: EU MRL- 0.05mg/kg PHI- 35days

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
						WHO Class II Moderately hazardous Yellow Color Band
24	REGIME 480 EC Emulsifiable Concentrate	PCPB(CR) 1824-P(i)	Chlorpyrifos 480 g/L	Agrow Allied Ventures PVT Ltd, India	Local Agent/Distributor: Kenagro Suppliers Ltd.	Insecticide for control of thrips on roses and antestia bugs in coffee (NOT FOR FOLIAR APPLICATION IN FRUITS & VEGETABLES) REI: 24hours Coffee: EU MRL-0.01mgkg PHI: 21 days WHO Class II Moderately hazardous Yellow color band
25	ROCKY FORCE 480 EC Emulsifiable Concentrate	PCPB(CR)1694 -P(i)	Chlorpyrifos 480 g/L	Manufacturer/Registrant/Formulator: Gharda Chemicals Ltd, India; Invoicing Centre: Jade Stone FZCO, UAE, Dubai.	Agent: Agrichem & Tools Ltd Distributor: Jubaili Agrotec	Insecticide for control of coffee green scales in Coffee by banding. NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES REI: 12hours PHI: 14days EU MRLs: Coffee beans-0.05 mg/kg WHO Class II, Moderately hazardous, Yellow Color Band
26	UNDERTAKE R 48% EC	PCPB(CR) 1072-p(ii)	Chlorpyrifos 480g/L	Zhejiang Xinnong Chemicals Co. Ltd, China.	Greenlife Crop Protection Africa Ltd.	Insecticide for the control termites in wood and in agroforestry NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES WHO Class II: Moderately Hazardous Yellow Colour Band REI- when spray dries

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
27	ANTFEX 48 EC	PCPB(CR)0780 -p(ii)	Chlorpyrifos 480g/L	Mitsu Industries Ltd., India.	Fedo Agencies	Insecticide for use in the control of termites and ants nests in farm situations.
28	EXPERT 250 GR	PCPB(CR)1526	Chlorpyrifos 250g/kg	Manufacturer of a.i /Formulator: Zhejiang Xinnong Chemical Co Ltd, China Registrant: Jiangyin Milagro Chemical Co Ltd, China	Greenlife Crop Protection Africa Ltd	Termiticide for wood preservative against termites WHO Class II Moderately hazardous Yellow color band
29	LETHAL PRO 450 EC Emulsifiable Concentrate	PCPB(CR)2071 - P(i)	Chlorpyrifos 450 g/L	Manufacturer/ Registrant: Hailir Pesticides and Chemical Group Co. Ltd, China Formulator: Jiangxi High Quality Bio-tech Co. Ltd, China	Agent Chinachem Kenya Ltd. Distributor: East African Business Company Ltd.	Termiticide for wood treatment against termites in building and construction (NOT FOR FOLIAR APPLICATION ON FRUITS & VEGETABLES). WHO Class II Moderately hazardous Yellow Color Band
30	MATADOR 48% EC Emulsifiable Concentrate	PCPB(CR)1956	Chlorpyrifos 480 g/L	Manufacturer: GSP Crop Science Private Ltd, India Formulator/ Registrant: Osho Chemical Industries Ltd, Kenya	Osho Chemical Industries Ltd.	Termiticide for control of Termites in Building & Construction. NOT FOR APPLICATION IN FRUITS AND VEGETABLES WHO Class II Moderately hazardous Yellow Color Band
31	ANTFOX 450 EC	PCPB(CR)1659 -P(v)	Chlorpyrifos 450g/L	Shandong United Industry Co Ltd, China	Local Agent: Merrychem Co Ltd Distributor:	Termiticide for wood treatment against termites (NOT FOR FOLIAR APPLICATION IN

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
	Emulsifiable Concentrate				Fedo Agencies Limited	FRUITS AND VEGETABLES). WHO Class II Yellow Color Band Moderately hazardous
32	LETHAL PRO 450 EC Emulsifiable Concentrate	PCPB(CR)2071 - P(i)	Chlorpyrifos 450 g/L	Manufacturer/ Registrant: Hailir Pesticides and Chemical Group Co. Ltd, China Formulator: Jiangxi High Quality Bio-tech Co. Ltd, China	Agent Chinachem Kenya Ltd. Distributor: East African Business Company Ltd.	Termiticide for wood treatment against termites in building and construction (NOT FOR FOLIAR APPLICATION ON FRUITS & VEGETABLES). WHO Class II Moderately hazardous Yellow Color Band
33	EXCAVATOR 450EC	PCPB(CR)1659 -P(i)	Chlorpyrifos 450g/L	Shandong United Industry Co Ltd, China	Local agent: Merrychem Co Ltd; Distributor: Jojemi East Africa Ltd	Termiticide for wood treatment against termites (NOT FOR FOLIAR APPLICATION IN FRUITS AND VEGETABLES). WHO Class II Yellow Color Band Moderately hazardous.
34	REGULATOR 450 EC Emulsifiable Concentrate	PCPB(CR)1659 P(ii)	Chlorpyrifos 450g/L	Shandong United Industry Co Ltd, China	Local agent: Merychem Company Ltd; Distributor: Farmyard International Investment Ltd	Termiticide for wood treatment against termites (NOT FOR FOLIAR APPLICATION IN FRUITS AND VEGETABLES). WHO Class II Yellow Color Band Moderately hazardous.
35	MCHWA KING 450 EC	PCPB(CR)1659 - P(iii)	Chlorpyrifos 450g/L	Shandong United Industry Co Ltd, China	Local Agent: Merrychem Company Ltd;	Termiticide for wood treatment against termites (NOT FOR FOLIAR APPLICATION IN

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/Registrant/formulator	Local agent	Registered uses
	Emulsifiable Concentrate				Distributor: Eurochem International Ltd.	FRUITS AND VEGETABLES). WHO Class II Yellow Color Band Moderately hazardous.
36	TERMITOP 450 EC Emulsifiable Concentrate	PCPB(CR)1659 -P(iv)	Chlorpyrifos 450g/L	Shandong United Industry Co Ltd, China	Agent: Merrychem Company Ltd; Distributor: Botachem Enterprises ltd	Termiticide for wood treatment against termites (NOT FOR FOLIAR APPLICATION IN FRUITS AND VEGETABLES). WHO Class II Yellow Color Band Moderately hazardous.
37	TERMIGON 450 EC Emulsifiable Concentrate	PCPB(CR)1659	Chlorpyrifos 450g/L	Shandong United Industry Co Ltd, China	Merrychem Co Ltd	Termiticide for wood treatment against termites (NOT FOR FOLIAR APPLICATION IN FRUITS AND VEGETABLES). WHO Class II Yellow Color Band Moderately hazardous.

Table 7: Registered Pest Control Products containing 2,4-D (36)

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/Registrant/formulator	Local agent	Registered uses
1	AGRIMINE 2,4 D 720 SL	PCPB(CR)1077 -p(i)	2,4 D-Amine 720g/L	Manufacturer/Registrant/Formulator: Hangzhou Yilong Chemical Industries,	Local Agent: Sineria Kenya Limited	Post-emergence herbicide for control of broad-leaf weeds on Wheat REI: 12hours PHI: Wheat-30days EU MRLs: Wheat-2mg/kg

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
				Ltd China; Additional Formulation Site: Sineria China, Company Ltd, China.		WHO Class II, Moderately hazardous, Yellow Color Band.
2	AGROMINE 860 SL Soluble Liquid	PCPB(CR)1307	2,4-D Amine salt 860 g/L	Manufacturer: Jiangsu United Agrochemical Co., Ltd., China Exporter: Nanjing Agrochemiocal Co., Ltd Registrant: Greenlife Crop Protection Africa Ltd.	Greenlife Crop Protection Africa Ltd.	Herbicide for the control of broad-leaved weeds in lawn ground, and as a Post-emergence herbicide for the control of broad-leaved weeds in rice, Maize and Wheat; WHO Class II Moderately hazardous, Yellow color band REI: 24 hours.
3	BELLAMINE SL Soluble Concentrate	PCPB(CR)0535 -p(i)	Dimethylamine salt of 2,4-Dichlorophenyl acetic acid, 720g/L salt	Nufarm pflanzenschultz GmbH, Austria.	Bell Industries Ltd.	Pre-emergence and post-emergence herbicide for the control of annual and perennial broadleaf weeds in Maize, Wheat and Coffee. REI: 12hours PHI: Wheat & Coffee-14days; Maize-7days EU MRLs: Wheat-2mg/kg; Coffee beans-0.1mg/kg; Maize-0.05mg/kg WHO Class II, Moderately hazardous, Yellow 4color band
4	DAMINE 72SL Soluble Concentrate	PCPB(CR)0753	Dimethylamine salt of 2,4 D-Dichlorophe	Atul Limited, India.	Osho Chemical Industries Ltd.	Pre-emergence and post emergence herbicide for the control of annual & perennial broad-leaved weeds in Baby corn;

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
			nyl acetic acid i.e. 720g/L salt equivalent to 600g/L acid			Post-emergence herbicide for the control of broad leaved weeds in Wheat. REI: 12hours PHI: Wheat & Baby corn-30days EU MRLs: Wheat-2mg/kg; Baby corn-0.05mg/kg WHO Class II, Moderately hazardous, Yellow Color Band
5	DICOPUR D 720 SL Soluble Concentrate	PCPB(CR)0535	Dimethylamine salt of 2,4-Dichlorophenyl Acetic Acid (2,4-D)-720g/L salt; equivalent to 600g/L acid/L	Nufarm pflanzenschutz GmbH & Co KG, Austria.	Local Agent: Bancella East Africa; Distributor: Farmchem Ltd.	Pre-emergence and post-emergence herbicide for the control of annual and perennial broadleaf weeds in Maize, Wheat and Coffee. REI: 12hours PHI: Wheat & Coffee-14days; Maize-7days EU MRLs: Wheat-2mg/kg; Coffee beans-0.1mg/kg; Maize-0.05mg/kg WHO Class II, Moderately hazardous, Yellow color band
6	HY-2 4D SL Soluble Concentrate	PCPB(CR)0535 - p(v)	Dimethylamine salt of 2,4-Dichlorophenyl Acetic Acid (2,4-D)-720g/L salt;	Nufarm pflanzenschutz GmbH & Co KG, Austria.	Agent: Anset International Distributor: HighChem Essentials, Nairobi	Pre-emergence and post-emergence herbicide for the control of annual and perennial broadleaf weeds in Maize, Wheat and Coffee. REI: 12hours PHI: Wheat & Coffee-14days; Maize-7days EU MRLs: Wheat-2mg/kg; Coffee beans-0.1mg/kg; Maize-0.05mg/kg WHO Class II,

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/Registrant/formulator	Local agent	Registered uses
			equivalent to 600g/L acid/L			Moderately hazardous, Yellow color band
7	KEN 2.4D 720 SL Soluble Liquid	PCPB(CR)1077 -p(ii)	2,4 D-Amine 720g/L	Manufacturer/Registrant/Formulator: Hangzhou Yilong Chemical Industries, Ltd China; Additional Formulation Site: Sineria China, Company Ltd, China.	Kencrop Kenya Ltd	Post-emergence herbicide for control of broad-leaf weeds on Wheat REI: 12hours PHI: Wheat-30days EU MRLs: Wheat-2mg/kg WHO Class II, Moderately hazardous, Yellow Color Band
8	MURPHAMINE 72% SL Soluble Concentrate	PCPB(CR)0535 -p(ii)	2,4,D Amine 720g/L salt equivalent to 600g/L acid	Nufarm GmbH, Austria	Pytech Chemicals GMBH./ Murphy Chemicals	Pre-emergence and post-emergence herbicide for the control of annual and perennial broadleaf weeds in Maize, Wheat and Coffee. REI: 12hours PHI: Wheat & Coffee-14days; Maize-7days EU MRLs: Wheat-2mg/kg; Coffee beans-0.1mg/kg; Maize-0.05mg/kg WHO Class II, Moderately hazardous, Yellow color band
9	PRO 2.4D 720 SL Soluble liquid	PCPB(CR)1077 -p(iii)	2,4 D-Amine 720g/L	Manufacturer/Registrant/Formulator: Hangzhou Yilong Chemical Industries, Ltd China; Additional Formulation Site:	Local Agent: Sineria Kenya Limited	Post-emergence herbicide for control of broad-leaf weeds on Wheat REI: 12hours PHI: Wheat-30days MRLs: Wheat-2mg/kg WHO Class II, Moderately hazardous, Yellow Color Band

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/Registrant/formulator	Local agent	Registered uses
				Sineria China, Company Ltd, China.		
10	SANAPHEND SL	PCPB(CR)0805	2,4-D Dimethyl amine (equal to 720g/L amine salts 600g/L	Manufacturer/Formulator: Corteva Agriscience, France; Registrant: Corteva AgriScience IntL SARL, Switzerland	Local Agent: Corteva Agriscience Kenya Ltd	Selective post emergence herbicide for the control of broadleaf weeds in maize, Wheat, Barley, Sorghum, Sugarcane, Rice & Grassland areas. REI: 12hours PHI: Wheat, Rice, Maize & Sorghum-14days; Sugarcane-7days; Pastures-7days EU MRL: Sugarcane & Sorghum-0.05mg/kg; Wheat-2mg/kg; Rice-0.1mg/kg WHO Class II, Moderately hazardous, Yellow Color Band
11	SINE 4 D 720 SL	PCPB(CR)1077	2,4 D-Amine 720g/L	Manufacturer/Registrant/Formulator: Hangzhou Yilong Chemical Industries, Ltd China; Additional Formulation Site: Sineria China, Company Ltd, China.	Sineria Kenya Ltd.	Post-emergence herbicide for control of broad-leaf weeds on Wheat REI: 12hours PHI: Wheat-30days EU MRLs: Wheat-2mg/kg WHO Class II, Moderately hazardous, Yellow Color Band.
12	TORDON 101	PCPB(CR)0677	Picloram 65 g/L + 2,4-Dichlorophenoxy acetic acid 240 g/L	Manufacturer/Formulator: (i) Corteva Agriscience, LLC, USA; (ii) Corteva AgriScience, France;	Local Agent: Corteva Agriscience Kenya Ltd	Herbicide for use on agricultural pastures, rangelands and industrial sites to control broad leaved weeds.

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
				Additional Source: Lier Chemical Co Ltd; Economic and Technical Development Zone, Mianyang Sichuan, China; Registrant: Corteva AgriScience IntL SARL, Switzerland		
13	TWIGA 2,4 D	PCPB(CR)0805-p(i)	2,4-D Dimethyl amine 600g/L (equal to 720g/L amine salt	Dow Agrosiences	Twiga Chemical Industries Ltd.	Selective post emergence herbicide for the control of broadleaf weeds in maize, Wheat, Barley, Sorghum, Sugarcane, Rice & Grassland areas. REI: 12hours PHI: Wheat, Rice, Maize & Sorghum-14days; Sugarcane-7days; Pastures-7days EU MRL: Sugarcane & Sorghum-0.05mg/kg; Wheat-2mg/kg; Rice-0.1mg/kg WHO Class II, Moderately hazardous, Yellow Color Band
14	BELL 2,4-D SL	PCPB(CR)1540	2,4-D amine salt 720 g/L	Manufacturer/Formulator: CAC Nantong Chemical Co. Ltd Exporter: Shanghai E-Tong Chemical Co. Ltd Registrant: Zhejiang E-	Bell Industries Ltd	Post -emergence herbicide for the control of broad leaved weeds in maize. EU MRL = 0.05 mg/kg WHO Class II Moderately Hazardous Yellow Color Band.

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
				Tong Chemical Co. Ltd.		
15	CROPMINE 720 SC	PCPB(CR)1584	2,4 Dichlorophenoxy acetic acid 720g/L	Manufacturer of a.i/ Formulator/ Registrant: Shandong Keyuan Chemical Co Ltd, China	Agrichem and Tools Ltd	Post-emergence herbicide for control of broad-leaved weeds on maize Maize: EU MRL- 2,4-D- 0.05 mg/kg PHI: 7days WHO Class II Moderately hazardous Yellow Colour Band
16	CAPRI 600 SL Soluble Concentrate	PCPB (CR)1640	2,4- Dichlorophenoxyacetic acid 600g/L	ADAMA Manufacturing Poland S.A, Poland	Adama Agriculture East Africa Ltd	Post-emergence herbicide for control of broadleaved weeds in maize mono crop, wheat and barley. Maize: EU MRL- 0.05 mg/kg PHI : 91 days Wheat EU MRL- 2.0 mg/kg PHI : 94days Barley:EU MRL: 0.1mg/kg PHI- 70 days WHO Class II Moderately hazardous, Yellow color band
17	2,4 D TURBO 720 SL Soluble Concentrate	PCPB(CR)1514	2,4-D dimethyl amine salt 720g/L	Manufacturer of a.i/ Formulator: Shandong Qiaochang chemical Co., Ltd, china Registrant: Wenzhou Foreign trade Industrial Products Co., Ltd, China.	Highchem Marketing Ltd, Essential Division	Post emergence herbicide for control of annual and perennial broad-leaved weeds in maize PHI: 7 days WHO Class II Moderately hazardous, Yellow color band.

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/Registrant/formulator	Local agent	Registered uses
18	GLYSTAR 395 SL Soluble Concentrate	PCPB(CR)1686	Glyphosate 371 g/L + 2,4-D 24 g/L	Manufacturer/Formulator: Shanghai shenglian Chemical Co Ltd, China Registrant: Shenzhen Yufull industry Co Ltd, China	Botachem Enterprises Ltd	Post-emergence herbicide for control of annual and perennial grasses and broad-leaved weeds in non-cropped areas (NOT FOR USE IN AGRICULTURAL LAND). REI: 24 hours WHO Class III, Slightly hazardous, Blue color band
19	KWEKWE MASTER 409 SL Soluble Concentrate	PCPB(CR)1704	Glyphosate 382g/L + 2,4-D 27g/L	Manufacturer of a.i/Formulator: Shanghai Yuelian Bio-Tech Co., Ltd, China Registrant: Shanghai Hui Song (H & S) Agro-solution Co Ltd, China.	Bestfield East Africa Ltd	Post-emergence herbicide for control of grass and broadleaf weeds in non-cropped areas (NOT FOR USE IN AGRICULTURAL LAND). REI: 24hours WHO Class III, Slightly hazardous, Blue color band
20	AMINOCARE 720 SL	PCPB(CR)1540 -P(i)	2,4-D amine salt 720 g/L	Manufacturer/Formulator: CAC Nantong Chemical Co. Ltd Exporter: Shanghai E-Tong Chemical Co. Ltd Registrant: Zhejiang E-Tong Chemical Co. Ltd	Local Agent: Bell Industries Ltd Distributor: Jubaili Agrotec Ltd.	Post -emergence herbicide for the control of broad leaved weeds in maize. EU MRL = 0.05 mg/kg WHO Class II Moderately Hazardous Yellow Color Band
21	WIDAMINE 720AS Aqueous Suspension	PCPB(CR)1832	2,4D amine salt 720g/L	Manufacturer/Formulator: Changzhou Wintafone Chemicals Co. Ltd, China	Cropanet Plaass Ltd	Post-emergence herbicide for control of broadleaf weeds in non-cropped areas (NOT FOR USE IN AGRICULTURAL LAND). REI:

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
				Registrant: Wemax Agro Ltd, China		24hrs WHO Class II, Moderately hazardous, Yellow color band
22	ELEGANT 2FD 306 SE Suspo-emulsion	PCPB(CR)1834	2,4-D 300g/L + Florasulam 6.25g/L	ADAMA Agan Ltd, Israel	ADAMA Agriculture East Africa Ltd.	A post-emergence herbicide for control of broad leaved weeds in wheat and barley. Wheat: EU MRLs: 2,4-D -0.05mg/kg Florasulam- 0.01mg/kg PHI- 51 days Barley EU MRLs: 2,4-D - 0.1mg/kg Florasulam- 0.01mg/kg PHI-84 days WHO Class II, Moderately hazardous Yellow Color Band
23	ANSPAMINE 720 SL Soluble Concentrate	PCPB(CR)1840	2,4 Dichlorophenoxy acetic acid 720 g/L	Manufacturer/formulator: Hegang Th-Unis Insight Pesticide Chemistry Co Ltd, China Registrant: Agrohao Co Ltd, China	Anspa E .A Ltd	Post-emergence herbicide for control of broad-leaved weeds in baby corn. EU MRL- 0.05mg/kg PHI- 30days WHO Class II Moderately hazardous, Yellow color band
24	2,4 D OAK 720 SL Soluble Concentrate	PCPB(CR)1514 -P(i)	2,4-D dimethyl amine salt 720g/L	Manufacturer of a.i/ Formulator: Shandong Qiaochang chemical Co., Ltd, china Registrant: Wenzhou Foreign trade Industrial Products Co., Ltd, China.	Highchem Marketing Ltd, Essential Division Distributor Oak Medical Ltd	Post emergence herbicide for control of annual and perennial broad-leaved weeds in maize PHI: 7 days WHO Class II Moderately hazardous, Yellow color band

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
25	2,4-D MAX 720 SL Soluble Concentrate	PCPB(CR)1844	2,4 Dichlorophe noxy acetic acid 720 g/L	Manufacturer/ Formulator/ Registrant: M/S Agrow Allied Ventures Pvt. Ltd, India	Kenagro Suppliers Ltd	Post emergence herbicide for the control of broad-leaved weeds in maize. WHO Class II Moderately hazardous Yellow Color Band
26	CLEANSPRAY 80 SG Water Soluble Granules	PCPB(CR)1950	2,4-Dichlorophe noxyacetic acid 800 g/kg (equivalent to 960 g/kg dimethylamine salt)	Shandong Weifang Rainbow Chemical Co Ltd, China	Rainbow AgroSciences Ltd	Selective post-emergence herbicide for control of broadleaved weeds in Wheat PHI: 80days EU MRL-2.0mg/kg WHO Class II Moderately hazardous Yellow Color Band
27	HAI-AMINE 720 SL	PCPB(CR)1840 - p(i)	2,4-Dichlorophe noxy acetic acid 720 g/L Soluble concentrate	Manufacturer/formulator: Hegang Th-Unis Insight Pesticide Chemistry Co Ltd, China Registrant: Agrohao Co Ltd, China	Local agent: Anspa E .A Ltd Distributor: Hangzhou Agrochemical Industries E.A. Limited	Post-emergence herbicide for control of broad-leaved weeds in baby corn. EU MRL- 0.05mg/kg PHI- 30days WHO Class II Moderately hazardous, Yellow color band
28	NEMESIS 395 SL Soluble Concentrate	PCPB(CR)1686 - p(i)	Glyphosate 371 g/L + 2,4-D 24 g/L Soluble concentrate	Manufacturer/Formulator: Shanghai Shenglian Chemical Co Ltd, China Registrant: Shenzhen Yufull Industry Co Ltd, China	Agent: Botachem Enterprises Ltd Distributor: Sineria Kenya Ltd	Post-emergence herbicide for control of annual and perennial grasses and broad-leaved weeds in non-cropped areas (NOT FOR USE IN AGRICULTURAL LAND). REI: 24 hours WHO

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
						Class III, Slightly hazardous, Blue color band
29	J24-D 860 SL Soluble Concentrate	PCPB(CR)1307 -P(i)	2,4-D Amine salt 860 g/L	Manufacturer: Jiangsu United Agrochemical Co., Ltd., China Exporter: Nanjing Agrochemiocal Co., Ltd Registrant: Greenlife Crop Protection Africa Ltd.	Agent: Greenlife Crop Protection Africa Ltd; Distributor: Jojemi Agri Ventures Ltd	Herbicide for the control of broad-leaf weeds in lawn ground; post-emergence herbicide for the control of broad-leaf weeds in rice, Maize and Wheat. REI: 24 hours. Maize EU MRL- 0.05mg/kg PHI-45 days Rice EU MRL- 0.1mg/kg PHI-45 days Wheat EU MRL- 2.0mg/kg PHI- 14 days WHO Class II Moderately hazardous Yellow color band.
30	FARMAMINE 720 SC	PCPB(CR)1584 -P(i)	2,4 Dichlorophenoxy acetic acid 720 g/L	Shandong Keyuan Chemical Co Ltd, China	Local Agent: Agrichem & Tools Ltd Distributor: Botachem Enterprises Ltd	Post-emergence herbicide for control of broad-leaved weeds on maize Maize: EU MRL- 2,4-D- 0.05 mg/kg PHI: 7days WHO Class II Moderately hazardous Yellow Colour Band
31	WEEDLESS TURBO 395 SL Soluble Concentrate	PCPB(CR)1686 - P(iii)	Glyphosate 371 g/L + 2,4-D amine 24 g/L	Manufacturer/Formulator: Shanghai shenglian Chemical Co Ltd, China Registrant: Shenzhen Yufull industry Co Ltd, China	Local agent: Botachem Enterprises Ltd Distributor: Eurochem International Ltd	Post-emergence herbicide for control of annual and perennial grasses and broad-leaved weeds in non-cropped areas (NOT FOR USE IN AGRICULTURAL LAND). REI: 24 hours WHO Class III, Slightly hazardous, Blue color band

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/Registrant/formulator	Local agent	Registered uses
32	GYPROM GOLD 395 SL Soluble Concentrate	PCPB(CR)1686 -P(iv)	Glyphosate 371 g/L + 2,4-D amine 24 g/L	Manufacturer/Formulator: Shanghai Shenglian Chemical Co. Ltd., China Registrant: Shenzhen Yufull industry Co Ltd, China	Local agent: Botachem Enterprises Ltd	Post-emergence herbicide for control of annual and perennial grasses and broad-leaved weeds in non-cropped areas (NOT FOR USE IN AGRICULTURAL LAND). REI: 24 hours WHO Class III, Slightly hazardous, Blue color band
33	2, 4-D ALMALIMA 860SL Soluble Concentrate	PCPB(CR)1307 -P(ii)	2,4-D Amine salt 860 g/L	Manufacturer: Jiangsu United Agrochemical Co., Ltd., China Exporter: Nanjing Agrochemiocal Co., Ltd, China	Local agent: Greenlife Crop Protection Africa Ltd Distributor: Juanco SPS Ltd	Herbicide for the control of broad-leaved weeds in lawn ground, and as a Post-emergence herbicide for the control of broad-leaved weeds in rice, Maize and Wheat; REI: 24 hours. WHO Class II Moderately hazardous, Yellow color band
34	MODEM 720 SL Soluble Concentrate	PCPB(CR)1840 -P(ii)	2,4 Dichlorophenoxy acetic acid 720 g/L	Manufacturer/formulator: Hegang Th-Unis Insight Pesticide Chemistry Co Ltd, China Registrant: Agrohao Co Ltd, China	Local Agent Anspa E.A Limited. Distributor: Farmyard International Investment Limited	Post-emergence herbicide for control of broad-leaved weeds in baby corn. EU MRL- 0.05mg/kg PHI- 30 days WHO Class II Moderately hazardous, Yellow color band
35	WEEDOVER 395 SL Soluble Concentrate	PCPB(CR)1686 -P(v)	Glyphosate 371 g/L + 2,4-D 24 g/L	Manufacturer of a.i/Formulator: Shanghai shenglian Chemical Co Ltd, China Registrant:	Local Agent Botachem Enterprises Ltd. Distributor: Good Agricultural	Post-emergence herbicide for control of annual and perennial grasses and broad-leaved weeds in non-cropped areas (NOT FOR USE ON AGRICULTURAL

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
				Shenzhen Yufull industry Co Ltd, China	Practice Technology E.A. Ltd	LAND). REI: 24 hours WHO Class III, Slightly hazardous, Blue color band
36	SYOMINE 720 SC Suspension Concentrate	PCPB(CR)1584 -P(ii)	2,4 Dichlorophenoxy acetic acid 720g/L	Manufacturer of a.i/ Formulator/ Registrant: Shandong Keyuan Chemical Co Ltd, China	Local Agent: Agrichem and Tools Ltd. Distributor: Agriscope (Africa) Ltd.	Post-emergence herbicide for control of broad-leaved weeds on maize Maize: EU MRL- 2,4-D- 0.05 mg/kg PHI: 7days WHO Class II Moderately hazardous Yellow Colour Band

Table 7: Registered Pest Control Products containing acephate (17 products)

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
1	ASATAF SP Soluble Powder	PCPB(CR)0345	Acephate 750g/Kg	Rallis Ltd., India.	Osho Chemical Industries Ltd.	Insecticide for the control of aphids and thrips on Roses; Aphids, whiteflies & bud worms on tobacco; aphids on cotton, and for the control of armyworms (NOT FOR USE ON VEGETABLES).
2	EPHATE SP Soluble Powder	PCPB(CR)0884	Acephate 750g/l	Ningbo Sunjoy Agrosience Co, China	Gordhandas Dharamshi & Brothers	Insecticide for the control of thrips, aphids, whitefly, nymphs on Roses (NOT FOR USE ON VEGETABLES). WHO Class III Blue Color Band Slightly hazardous REI = 6hrs
3	ORTHENE Pellet	PCPB(CR)0470	Acephate 970g/Kg	Manufacturer/Registrant: Arysta LifeScience North Amera, LLC, USA / United Phosphorus Ltd., India / Rallis Ltd., India.	Arysta Lifescience (K) Ltd.	Insecticide for control of aphids and thrips on tobacco and fall army worm in maize (NOT FOR USE ON VEGETABLES). Maize Canada MRL: 0.5mg/kg PHI-21 days
4	ORTRAN 97% WDG Water dispersible granules	PCPB(CR)1378	Acephate 970 g/kg	Manufacturer/Formulator: Jiangsu Lanfeng Biochemical Co., Limited, China. Exporter: Shanghai E-Tong Chemical Co.,	Kenagro Supplies Ltd	Insecticide for the control of thrips and false codling moth in roses and fall army worm in maize (NOT FOR USE ON VEGETABLES). REI: 6 hours Maize: Canada MRL: 0.5mg/kg

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
				Ltd., China Registrant: Shanghai E-Tong Chemical Co., Ltd., China		PHI-21 days WHO Class II Moderately hazardous; Yellow
5	SINOPHATE 75% SP	PCPB(CR)1107	Acephate 75% w/w	Zhejiang Jiahua Chemical Co. Ltd., China	Greenlife Crop Protection Africa Ltd.	Insecticide for control of Thrips on Roses; aphids, thrips and whiteflies in Tobacco (NOT FOR USE ON VEGETABLES). Tobacco: EU MRL: 0.01 mg/kg PHI- 45 days REI: When spray dries. WHO Class III Slightly hazardous Blue colour band
6	STARTHENE PLUS 97% DF	PCPB(CR)0817	Acephate 97%	Swal Corporation Ltd., India.	Gordhandas Dharamshi & Brothers	Insecticide for the control of thrips & aphids on Roses; aphids and grasshoppers on tobacco (NOT FOR USE ON VEGETABLES).
7	TIDEPHATE 90 SG Soluble Granules	PCPB(CR)1563	Acephate 900g/kg	Manufacturer of a.i/ Formulator: Zhejiang Tide CropScience, Ltd Registrant: Ningbo Tide Import & Export Co Ltd, China	Clove Agro Africa Ltd	Insecticide for control of thrips in roses (NOT FOR USE ON VEGETABLES) REI: 12 Hours WHO Class III (Slightly Hazardous) Blue Color Band
8	LOTUS 75% SP Soluble Powder	PCPB(CR)1693	Acephate 750 g/kg	Manufacturer/formulator: Nantong Weilike Chemical Co Ltd, China Registrant:	Osho Chemical Industries Ltd	Insecticide for control of Aphids, Thrips, and Whiteflies on Roses; Fall armyworm on Maize (NOT FOR USE ON VEGETABLES). REI: 12hours PHI: Maize-21days

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
				Ningbo Huili Imp. & Exp. Co., Ltd., China		Canada MRL: Maize-0.5mg/kg WHO Class III Slightly hazardous Blue color band
9	CAPTIVE 75% SP Water Soluble Powder	PCPB(CR)1710	Acephate 750g/Kg	Devidayal Ltd, Nariman point, Mumbai, India	Agrichem and tools Ltd	Insecticide for control of Aphids, Thrips and Whiteflies on roses (NOT FOR USE ON VEGETABLES). REI: 6hours WHO Class III, Slightly hazardous, Blue Color Band
10	XPAND MAX 92% SG Water Soluble Granules	PCPB(CR)1735	Acephate 920g/kg	Manufacture/Formulator: Nantong Weilike Chemical Co., Ltd Registrant: Ningbo Huili Import And Export Co. Ltd	Osho Chemical Industries Ltd	Insecticide for control of aphids, thrips and whiteflies on Roses, fall armyworm in Maize (NOT FOR USE ON VEGETABLES). . Maize: Canada MRL: 0.5 mg/kg PHI : 21 days WHO Class III Slightly hazardous Blue color band
11	SINOSTAR 970 WDG Water Dispersible Granule	PCPB(CR)2068	Acephate 970 g/Kg	Manufacturer/ Formulator/ Registrant: Cong Ty TNHH Alfa (Sai Gon), Vietnam	Greenlife Crop Protection Africa Limited	Insecticide for the control of whiteflies, aphids and thrips on roses (NOT FOR USE ON VEGETABLES). REI: 12 hours WHO Class III Slightly hazardous Blue color Band
12	MARS 95% SG Soluble Granules	PCPB(CR)2091	Acephate 950 g/Kg	Manufacturer/ Formulator/Registrant: Shanghai Yuelian	Agrichem Africa Ltd	Insecticide for the control of aphids, thrips and whiteflies in roses (NOT FOR USE ON VEGETABLES). REI: 6hours

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
				Chemical Industry Co. Ltd, China		WHO Class III, Slightly hazardous, Blue Color Band
13	PERITO 97 Pellets	PCPB(CR)0470 -P(i)	Acephate 970g/Kg	Arysta LifeScience North America LLC, USA / United Phosphorus Ltd., Indie / Rallis Ltd., India.	Arysta LifeScience (K) Ltd.	Insecticide to control aphids, thrips on roses and tobacco and fall army worm in maize NOT FOR USE ON VEGETABLES. Maize Canada MRL: 0.5mg/kg PHI-21 days WHO Class II Moderately hazardous, Yellow Color Band
14	UNIFATE 97 Pellets	PCPB(CR)0470 -P(ii)	Acephate 970g/Kg	Arysta LifeScience North America LLC, USA / United Phosphorus Ltd., Indie / Rallis Ltd., India.	Arysta LifeScience (K) Ltd.	Insecticide to control aphids, thrips on roses and tobacco and fall army worm in maize NOT FOR USE ON VEGETABLES. Maize Canada MRL: 0.5mg/kg PHI-21 days WHO Class II Moderately hazardous, Yellow Color Band
15	DRYOUT 95% SG	PCPB(CR)2091 -P(i)	Acephate 950 g/Kg	Manufacturer/ Formulator/Registrant: Shanghai Yuelian Chemical Industry Co. Ltd, China	Agrichem Africa Ltd	Insecticide for the control of aphids, thrips and whiteflies in roses (NOT FOR USE ON VEGETABLES). REI: 6hours WHO Class III, Slightly hazardous, Blue Color Band

No.	Product Name	Reg. Number	Active ingredient	Manufacturer/ Registrant/formulator	Local agent	Registered uses
16	SUFFOCATE 90 SG Soluble Granules	PCPB(CR)1563 P (i)	Acephate 900 g/kg	Manufacturer of a.i/ Formulator: Zhejiang Tide CropScience, Ltd Registrant: Ningbo Tide Import & Export Co Ltd, China	Local Agent : Clove Agro Africa Ltd Distributor: Farmyard International Investment Limited	Insecticide for control of thrips in roses (NOT FOR USE ON VEGETABLES) REI: 12 Hours WHO Class III (Slightly Hazardous) Blue Color Band
17	SIRIAUS 900 SG Soluble Granules	PCPB(CR)1563 -P(ii)	Acephate 900 g/kg	Manufacturer of a.i/ Formulator: Zhejiang Tide CropScience, Ltd Registrant: Ningbo Tide Import & Export Co Ltd, China	Local Agent: Clove Agro Africa Ltd Distributor: Truvets Techno-systems Ltd	Insecticide for control of thrips in roses (NOT FOR USE ON VEGETABLES) REI: 12 Hours WHO Class III Slightly hazardous Blue Color Band